

BUILT TO A HIGHER STANDARD®

American Standard®

HEATING & AIR CONDITIONING

*Comfort, Peace of
Mind and Reliability
for You and Your
Family...*



(903) 553-1199

www.ERAhvac.com

Lic. No. TACLB26165E

BUILT TO A HIGHER STANDARD®

American Standard®

HEATING & AIR CONDITIONING

The American Standard Heating & Air Conditioning product lineup represents one of the most comprehensive in the industry. It also represents the forefront of comfort, efficiency, durability and innovation. Together, we're creating a revolution in home comfort.

The heart of the system.

The Duration™ compressor is a marvel of durability and function. It can take a beating season after season, yet still run with exacting precision. It also has one of the lowest failure rates in the industry. That means enduring comfort for you.



The All Aluminum story.

There's always a better way to do something. When it comes to heat transfer, we've found it. Our amazing Spine Fin™ technology represents thinking that has advanced not only the efficiency of our units, but the whole concept of heat transfer.

The really big finish.

Our outdoor unit louvers aren't just painted. Because that's not good enough. Instead, we cover them in a high gloss powder coated appliance-grade finish that's as durable as it is attractive. Think of them as the art of comfort, encased in a work of art.



The SEET Lab.

Where only the strong survive. This is where our reputation for reliability and durability is forged daily. Nobody builds them like we do. Because nobody tests them like we do.

AccuLink™ Home Communicating Systems: The new age of comfort.

American Standard's AccuLink™ Home Communicating System offers unprecedented control, convenience and comfort. The advanced AccuLink™ technology allows for self-configuration and optimization through constant digital communication between system components. So you'll save time during installs and repairs while your customers could save on heating and cooling costs throughout the life of the system.



Inside residential products: Real efficiency. Real reliability.

American Standard Heating & Air Conditioning is committed to bringing you real solutions for today's consumer. And we've made it easier for you to provide those solutions by offering innovative technology that makes even our most complicated systems easier to install, while providing maximum efficiency, reliability and comfort.



Smart, precise control at your fingertips.

Comfort is nothing without control. Specifically, the precise control and smart features of an American Standard Heating & Air Conditioning comfort control.



Let's clear the air about indoor comfort.

The ideal indoor environment starts with the most basic ingredient: clean air. AccuClean™ has revolutionized whole-home air filtration with its industry-leading technology. With air that clean and fresh circulating through perfectly matched American Standard systems.

Packaged profits.

American Standard Packaged unit systems are the all-in-one solution that sacrifices nothing. With an expanded portfolio that now includes a 14, 15 and 16 SEER efficiency ratings, the units are efficient and make servicing easy.





AWARD WINNING EXCELLENCE. OUR AWARDS OVER THE YEARS

For over a hundred years, we've made some of the most awarded, well-engineered heating and air conditioning equipment, and earned a reputation for doing things ...right. And through it all, we've followed a pretty simple idea: "A Higher Standard" isn't just how we build our products. It's how we build our relationships with the customers who depend on us every single day.

2022

Top Tier Owner Satisfaction for Gas Furnaces

"National Product Testing and Research Magazine"

In 2019 and 2021 Summer Surveys of 13,458 heat pumps, owned by members who purchased a new heat pump [unit] between 2005 and 2021, American Standard heat pumps were rated Top Tier in Owner Satisfaction.

Top Tier Owner Satisfaction for Heat Pumps

"National Product Testing and Research Magazine"

In 2019 and 2021 Summer Surveys of 13,458 heat pumps, owned by members who purchased a new heat pump [unit] between 2005 and 2021, American Standard heat pumps were rated Top Tier in Owner Satisfaction.

Top Tier Reliability for Heat Pumps

"National Product Testing and Research Magazine"

In 2019 and 2021 Summer Surveys of 13,458 heat pumps, owned by members who purchased a new heat pump [unit] between 2005 and 2021, American Standard heat pumps were rated Top Tier in Reliability.

2021

Top Tier Owner Satisfaction for Central Air Conditioning

"National Product Testing and Research Magazine"

In a survey based on the proportion of members who are extremely likely to recommend their central air conditioning system to friends and family found American Standard Central Air Conditioning Systems' to be Top Tier in 2018 and 2020 Summer Surveys of 23,997 central air conditioning systems, owned by members who installed a new system between 2005-2020.

2019

Top Tier Owner Satisfaction for Gas Furnaces

"National Product Testing and Research Magazine"

In a 2018 Winter Survey and 2019 Summer Survey of 48,318 subscribers, American Standard gas furnaces were rated Top Tier in Owner Satisfaction for new units purchased between 2003 and 2019.

Top Tier Owner Satisfaction for Heat Pumps

"National Product Testing and Research Magazine"

In a 2018 Winter Survey and 2019 Summer Survey of 12,463 subscribers, American Standard heat pumps were rated Top Tier in Owner Satisfaction for new units purchased between 2003 and 2019.

2018

Top Tier Owner Satisfaction for Central Air Conditioning

"National Product Testing and Research Magazine"

In a 2017 Fall Survey and 2018 Summer Survey of 21,770 subscribers, American Standard central air conditioning systems were rated as Top Tier in Owner Satisfaction for new units purchased between 2007 and 2018.

2016

Most Reliable Heat Pumps & Air Conditioners

"National Product Testing and Research Magazine"

In a survey of more than 16,000 subscribers American Standard heat pumps and air conditioners were rated as the most reliable brand among leading manufacturers.

Design Journal and Architect

The Gold 824 Smart Thermostat was recognized as one of the best products of 2015. The AccuComfort™ Platinum 18 Air Conditioner was recognized as one of the best products of 2015.

American Standard®

HEATING & AIR CONDITIONING

AIR CONDITIONERS

ACCUCOMFORT™ VARIABLE SPEED



PLATINUM 20 4A7V0

Up to 21.5 SEER2/13.5 EER2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- Duration™ Variable Speed Inverter compressor
- American Standard Link Connectivity



PLATINUM 18 4A7V8

Up to 18.0 SEER2/12.5 EER2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- Duration™ Variable Speed inverter compressor
- AccuLink™ Connectivity
- Two-wire connections



2-STAGE



GOLD 16 4A7A6

Up to 16.2 SEER2*

- 2, 3, 4 & 5 ton
- Spine Fin™ coil
- 2-stage Duration™ compressor

SINGLE STAGE



SILVER 15 4A7A5

Up to 16.0 SEER2*

SILVER 14 4A7A4

Up to 14.8 SEER2*

SILVER 13 4A7A3

Up to 13.8 SEER2*

COMMON FEATURES:

- 1.5 – 5 ton
- Spine Fin™ coil
- Duration™ compressor



PLATINUM 17 4A7V7

Up to 18.0 SEER2/12.5 EER2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- American Standard Link Connectivity
- Zoning not available on the Platinum 17
- Must use ALINK360A2VVUD (American Standard Link UX360 Smart Thermostat & SC360 System Controller Kit)



OPTIONAL



Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at americanstandardair.com or by phone at 855-260-2975, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on ASDealerNet.com.

HEAT PUMPS

ACCUCOMFORT™ VARIABLE SPEED



PLATINUM 20 4A6V0

Up to 20.5 SEER2/12.7 EER2/9.0 HSPF2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- Duration™ Variable Speed inverter compressor
- American Standard Link Connectivity
- Standard 4 wire connections, optional 2 wire connection available



PLATINUM 18 4A6V8

Up to 18.0 SEER2/12.5 EER2/8.5 HSPF2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- Duration™ Variable Speed inverter compressor
- American Standard Link Connectivity
- Standard 4 wire connections, optional 2 wire connection available



2-STAGE



GOLD 16 4A6H6

Up to 16.2 SEER2/8.1 HSPF2*

- 2, 3, 4 & 5 ton
- Spine Fin™ coil
- 2-stage Duration™ compressor

SINGLE STAGE



SILVER 15 4A6H5

Up to 16.0 SEER2/8.1 HSPF2*

SILVER 14 4A6H4

Up to 14.8 SEER2*

COMMON FEATURES:

- 1.5 – 5 ton
- Spine Fin™ coil
- Duration™ compressor



PLATINUM 17 4A7V7

Up to 18.0 SEER2/12.5 EER2*

- 2, 3, 4 & 5 ton
- Woven Spine Fin™ coil
- Variable-speed fan motor
- American Standard Link Connectivity
- Zoning not available on the Platinum 17
- Must use ALINK360A2VVUD (American Standard Link UX360 Smart Thermostat & SC360 System Controller Kit)



GAS FURNACES

90%+ AFUE CONDENSING



PLATINUM 95 AUHM / ADHM

COMMUNICATING • Up to 97.3% AFUE

- 60 – 120 MBU input
- AccuLink™ capability
- Fully modulating gas valve
- Three-wire connections
- Variable-speed communicating ECM blower motor
- Continuous Comfort-R™ mode
- Single or two pipe vent options
- Digital user interface for easy set up and diagnostics
- Silicon nitride igniter
- Variable-speed draft inducer
- Certified to 2% air leakage
- ENERGY STAR® qualified



S9V2

96% AFUE

- Variable-speed ECM blower motor
- Comfort-R™ mode
- Compatible with 1-stage, 2-stage, and variable speed* OD equipment
- Two-speed draft inducer

COMMON 2-STAGE S-SERIES FEATURES:

- 40 – 120 MBU input
- Two-stage heat
- Single or two pipe vent options
- Fully insulated/gasketed
- Dry contact Humidifier and EAC terminals
- Silicon nitride igniter
- Standard 34" height
- Certified to 1% air leakage
- IFC board with digital configuration, status, and fault codes
- ENERGY STAR® qualified



S9X1

Up to 96% AFUE

- Up to 96% AFUE
- 40 -120 MBU input
- Single-stage heat
- High efficiency 9 tap Constant Torque ECM motor
- Single-speed draft inducer
- Silicon nitride igniter
- Fully insulated/gasketed
- Single or two pipe vent options
- IFC board with digital configuration, status, and fault codes
- ENERGY STAR® qualified
- Certified to 1% air leakage

80% AFUE NON-CONDENSING



PLATINUM 80 ADDC T AUDC

COMMUNICATING

- 60 -140 MBU input
- Simplified AccuClean™ connections
- Variable-speed communicating ECM blower motor
- AccuLink™
- Continuous Comfort-R™ mode
- Two-stage heat
- Three-wire connections
- Two-speed draft inducer
- Silicon nitride igniter
- Digital user interface for easy set up and diagnostics
- Certified to 2% air leakage

GOLD 80V

ADD2V / AUD2V

- 60 -140 MBU input
- Two-stage heat
- Variable-speed ECM Blower motor
- Comfort-R™ mode
- Two-speed draft inducer
- Silicon nitride igniter
- Factory wired for humidifier and EAC
- Certified to 2% air leakage



S8V2-C

40-140 MBU input

- American Standard Link Communicability
- Can be connected in communicating or 24V non-communicating modes
- Two-stage heat
- High Efficiency, Variable Speed
- Constant Airflow blower motor
- Two-speed draft inducer
- Silicon nitride igniter
- Fully insulated**/gasketed
- Aluminized steel heat exchanger
- Compatible with AccuClean™



S8X1

- 26-120 MBU input
- Single-stage heat
- High efficiency 9 tap Constant Torque ECM blower
- Single-speed draft inducer
- Silicon nitride igniter
- Fully insulated ** / gasketed
- Humidifier & EAC terminals
- Certified to 1% air leakage



S8B1

- 26-120 MBU input
- Single-stage heat
- 9 tap Constant Torque ECM blower
- Single-speed draft inducer
- Silicon nitride igniter
- Certified to 1.4% air leakage



COILS

CASED MULTI-POSITION



4TXC

- Single, 2-stage and variable speed equipment
- TXV (heat pump capable)
- Enhanced fin design for efficiency and humidity control
- Double-sloped high temp drain pan
- All-Aluminum to prevent formicary corrosion



4MXC

- Single stage equipment only
- Fixed orifice
- TXV kit available for expanded ratings and applications (heat pump capable)
- All-aluminum to prevent formicary corrosion

Functional Parts



Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at americanstandardair.com or by phone at 855-260-2975, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on ASDealerNet.com.

QUESTIONS ABOUT WARRANTY?

CONTACT YOUR LOCAL AMERICAN STANDARD REPRESENTATIVE

AIR HANDLERS

FOREFRONT™ AIR HANDLERS



TAMX

- D2- 5 ton
- Double wall modular cabinet
- All-aluminum coil
- Variable-speed ECM blower motor
- UVC light kit available
- Composite Vortica™ blower housing
- American Standard Link OR 24V Operation
- Continuous AccuComfort™ mode
- Multi-position installation
- Side return option
- Electronic expansion valve
- Meets 2% air leakage requirements



CONVERTIBLE



TEM8

- Acculink™ I OR 24V Operation

TEM6

- 24V Operation

COMMON FEATURES FOR TEM8 AND TEM6:

- 2- 5 ton
- Galvanized steel metal cabinet , All-aluminum coil
- Variable-speed ECM blower motor
- Metal Vortica™ blower
- R-410ATXV
- Multi-position installation
- Meets 2% air leakage requirements

TEM4

- 2-5ton
- ECM blower motor
- Metal Vortica™ blower
- All-aluminum coil
- Galvanized steel metal cabinet
- R-410A TXV
- Multi-position installation
- Meets 2% air leakage requirements

Coil



Functional Parts

Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at americanstandardair.com or by phone at 855-260-2975, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on ASDealerNet.com.

QUESTIONS ABOUT WARRANTY?

CONTACT YOUR LOCAL AMERICAN STANDARD REPRESENTATIVE

PACKAGED

COOLING



SILVER 13.4 4TCC4

13.40 SEER2

- 2, 2.5, 3, 3.5, 4 and 5 ton
- 1-Phase Only (208v/230v)
- Spine Fin™ condenser
- Duration™ compressor
- AccuClean™ Compatible (horizontal only)

HEAT PUMPS



GOLD 15 4WCZ5

Up to 15.00 SEER2/7.50 HSPF2

- 2, 3, 4, and 5 ton
- 1-Phase Only (208v/230v)
- Duration™ compressor
- Variable-speed indoor blower motor
- AccuClean™ Compatible (horizontal only)

HYBRID DUAL FUEL



GOLD 15 4DCZ5

Up to 15.00 SEER2/7.20 HSPF2

- 2, 3, 4 and 5 ton
- 1-Phase Only (208v/230v)
- 2-stage Duration™ compressor
- Variable-speed indoor blower motor
- Spine Fin™ condenser
- Comfort-R™ mode
- AccuClean™ Compatible (horizontal only)



SILVER 13.4 4WCC45

13.40 SEER2/7.0 HSPF2

- 2, 2.5, 3, 3.5, 4 and 5 ton
- 1-Phase Only (208v/230v)
- Spine Fin™ condenser
- Tough corrosion and UV resistant paint
- Composite Vortica™ blower
- Demand defrost
- Duration™ compressor
- AccuClean™ Compatible (horizontal only)

GAS/ELECTRIC



GOLD 15 4YCZ5

- Up to 15.00 SEER2/81% AFUE
- 2, 3, 4 and 5 ton
- 2-stage gas heat
- AccuClean™ Compatible (horizontal only)

Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at americanstandardair.com or by phone at 855-260-2975, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on ASDealerNet.com.

Limited Warranty Term for American Standard Products Installed in Commercial Applications: Coil, Parts – 1 year Limited Warranty; Compressor – 5 years Limited Warranty; Packaged Unit Heat Exchanger – 5 years

Compressor



Coil

Functional Parts

Heat Exchanger



Compressor

Coil

Functional Parts

SMART THERMOSTATS

ACCUCOMFORT™ VARIABLE SPEED

**LINK360 UX360,SC360**

SMART THERMOSTAT & SYSTEM CONTROLLER

- AccuComfort™ Variable Speed Remote wired temperature sensor available through the hub
- Remote wireless indoor temperature and humidity sensor (optional): ZSENS930AWOOMA
- Mobile app compatible with built-in
- Z-Wave bridge (download American Standard Home mobile app)
- American Standard Diagnostics
- American Standard Diagnostics mobile app compatibility allows for easy technician commissioning and servicing



- WiFi connection
- Control from a smartphone, tablet, or computer
- 7" diagonal color touchscreen 1-Touch Presets - Home, Away, Sleep
- 7 Day programmable with up to four schedules per day Smart Continuous Fan Adjustable Continuous Airflow (35-100%)
- Five day weather forecast Indoor relative humidity display

**PLATINUM 1050 AZON1050**

- Remote Climate Access included Built in Bridge for Z-Wave devices Wi-Fi or Ethernet connectivity
- American Standard Diagnostics ready
- Acculink™ communications
- Acculink™ zoning
- Compatible with 24 volt systems
- 5 heat / 2 cool
- 3 dry auxiliary contacts
- Remote ID, OD sensor connections
- Control from a smartphone, tablet, or computer
- 7" diagonal color display
- 1-touch presets - Home, Away, Sleep
- 7-day programmable, up to 4 periods per day
- Customizable home screen



- Runtime history
- Allergy and Quick Clean Cycles
- Smart continuous fan
- Adjustable continuous airflow
- Ventilation control
- Service, filter, humidifier, UV light, air cleaner reminders
- 5-day weather forecast, weather radar, and weather alerts
- Indoor relative humidity display
- Over the air or local software upgrade

**AZON1040 AZON1040AC52ZA**

ZONING COMMUNICATING SENSOR WITH DISPLAY

- For use with Acculink™ II Zoning Systems
- 3-Wire Communicating Zone Sensor
- 4.3" diagonal color touchscreen
- Zone Mode - Auto only
- Fan Mode - Auto/On
- Displays Zone Temperature & Relative Humidity
- Average multiple zone temp sensors
- Displays Outdoor Temperature (Home™ registration or wired DDT required)
- Clean Screen Function

- 3 Levels of Restricted Access Fahrenheit or Celsius
- Adjust zone Setpoint at 1040, 1050, and from the American Standard Home app
- Schedule 1040, 1050, and from the American Standard Home app
- Zone Schedule Override - Permanent Hold
- Enter zone name at 1040 and 1050
- Local software upgrades
- Screen color with backlit options
- Screensaver options

**PLATINUM 850 ACONT850**

- Remote Climate Access included
- Built in Bridge for Z-Wave devices Acculink™
- Wi-Fi or Ethernet Connectivity
- American Standard Diagnostics ready
- Compatible with 24 volt systems
- 5 heat / 2 cool
- 7-day programmable with up to 4 periods per day
- 4.3" color display
- Dual Fuel Capable
- 2 filter change reminders
- 5-day weather forecast, local radar and alerts
- Allergy and quick clean cycles
- Ventilation control
- Maintenance reminders
- Customizable home screen
- Embedded diagnostics
- Color: Designer Silver

**GOLD 824 ACONT824**

- ENERGY STAR® certified
- Remote Climate Access included
- Wi-Fi or Ethernet Connectivity
- Built in Bridge for Z-Wave devices
- American Standard Diagnostics ready
- Used with conventional 24 volt systems (non-communicating)
- 5 heat / 2 cool
- 7-day programmable
- 4.3" color display
- Humidity sensor
- 2 aux dry contacts
- Ventilation control
- 2 filter change reminders
- Dual Fuel capable
- 5-day weather forecast, local radar and alerts
- Allergy and quick clean cycles
- Auto changeover
- Maintenance reminders
- Customizable home screen
- Embedded diagnostics
- Color: Designer Silver

**SILVER 724 TCONT724**

- Remote Climate Access included
- American Standard Diagnostics ready
- 4 heat/2 cool
- 4.3" diagonal LCD touchscreen
- Screen lock out and guest lock out
- Built-in humidity sensor
- 1 aux dry contact*




- Dehumidification setting
- Dual Fuel capable
- Filter, maintenance and humidifier service reminder alerts
- Wi-Fi or Ethernet Connectivity**
- Color: Silver


TOTAL CONTROL OF YOUR HOME COMFORT FROM ANYWHERE.

Air Quality

Breathing easy in your own home shouldn't be a luxury. Our AccuClean™ air filtration systems reduce allergens to keep everyone comfortable.

*Be The Master Of Your Domain*

You can't control the weather, but you can control your personal comfort. From programmable thermostats to our AccuLink™ Home Communicating System, our products work smarter to give you complete control over the climate in your home, no matter what's going on outside. You can also connect your thermostat to a Home Automation Solution, giving you greater control of your home's comfort even when you're on the go.



Use your phone's camera to scan and download the app!

LOOK FOR THIS ICON! →



IAQ (INDOOR AIR QUALITY)

AMERICAN STANDARD ACCUCLEAN™



EFD

- Up to 100 times more effective than a standard 1" throwaway filter
- Power door provides easy access to internal components and features a filter status display as well as safety interlocks that automatically shut down the power when the door is opened for maintenance or cleaning
- Removes particles down to 0.3 micron in size
- Removes more than 99% of a surrogate for the virus that causes Covid-19 within 30 minutes
- Acculink™ communicating or 24 volt capability
- Zero ozone emissions. Cleaner air without harmful ozone byproducts so you can breathe easier
- Allergy and Asthma Friendly® Certified
- Quiet operation



QUIKBOX™



EQBFM

- MERV 11 and MERV 13
- filter options
- Quick shirt box type design
- Stores flat, installs in seconds
- 11 sizes to match most cabinet widths
- Backward compatible for all Perfect Fit (TFM) filter boxes
- New smaller cabinet to meet competitive brands
- Low pressure drop; up to 6 mos. lifecycle

SLIMFIT FILTER



BAYSF 1165, 1185, 1235, 11255

- 1" Pleated Filter, MERV 4 rated, lasts up to 90 days
- Made-to-fit cabinet sizes for TEM Air Handlers and S9V and S9X furnace side return cabinets
- 2" depth low profile painted steel cabinet with hinged door for easy filter replacement

EVAPORATIVE HUMIDIFIERS



EHUMDS00

FAN POWERED

- Capacity: 18 gallons per day
- Sq. Ft. Capacity: Up to 4,200
- Unit Type: Power humidifier/automatic control

10



EHUMD300

LARGE BYPASS

- Capacity: 16.8 gallons per day
- Sq. Ft. Capacity: Up to 4,000
- Unit Type: Large bypass humidifier/automatic control

10

EHUMD200

SMALL BYPASS

- Capacity: 12 gallons per day
- Sq. Ft. Capacity: Up to 3,000
- Unit Type: Small bypass humidifier/manual control

STEAM HUMIDIFIER



EHUMD800

- Capacity: 11-34.6 gallons per day
- Sq. Ft. Capacity: Up to 5,000

10

DEHUMIDIFIER



EDHUM70H

WATER REMOVAL:

- 70 Pints/Day
- 8.75 Gallons /Day

5



EDHUM98

WATER REMOVAL:

- 98 Pints/Day
- 12.25 Gallons /Day

5



EDHUM120

WATER REMOVAL:

- 120 Pints/Day
- 15.125 Gallons /Day

5

COMMON FEATURES:

- Features a horizontal configuration with optional vertical discharge
- Designed for quiet operation
- Engineered for low temperature operation providing comfort year round
- Optional digital controller for outdoor air ventilation and humidity control

- Superior MERV-13 filtration to improve indoor air quality
- Ducting options for fresh outdoor air ventilation to meet ASH RAE 62.2 ventilation requirements
- Push button reset for transformer protection

Functional Parts

10

Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at americanstandardair.com or by phone at 855-260-2975, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on ASDealerNelcom.

QUESTIONS ABOUT WARRANTY?

CONTACT YOUR LOCAL AMERICAN STANDARD REPRESENTATIVE

VENTILATION



ENERGY RECOVERY VENTILATOR

- Multi-position mounting
- Up to 78% sensible heat recovery
- High efficiency cross flow energy transfer core
- Slide out filter
- Percent timer control included
- Permanently lubricated ball bearing fan motor

10



INLINE VENTILATOR

- 62.2 Compliant Ventilation
- Full ECM Motor with Intelligent Logic Controller
- Adjustable airflow from 30 to 130 cfm to meet ventilation codes for all size homes
- 24V functionality from a smart thermostat, or use the on-board controller for "set-it and forget it" installation
- MERV 8 filter included for improved IAQ


5



Top 6 Reasons to Choose a Variable Speed System with American Standard® Link

1 Verified Installation

One of the key advantages of a Variable Speed system with American Standard Link technology is that it helps to ensure the quality of your system installation with automated verification tests. A Homeowner System Report gives you peace of mind by capturing the successful completion of automated system tests.



2 Top-of-the-Line Comfort Capabilities

An American Standard Variable Speed system equipped with American Standard Link enables you to experience the benefits of our most efficient air conditioning and heat pump technologies. That means better control over your home's temperature at the lowest cost per minute, with quieter operation than traditional systems.



3 Precise Humidity Control

With the launch of American Standard Link, our Variable Speed systems have been engineered with our exclusive dynamic dehumidification mode. Your system will continuously monitor and actively adjust its operation to control the temperature and humidity—the most advanced dehumidification capabilities American Standard has ever offered.

4

Custom Comfort Control —Right from Your Mobile Device

A Variable Speed system with American Standard Link gives you the ability to remotely adjust temperatures, set a schedule or view your HVAC usage. It's as simple as downloading the American Standard Home mobile app and connecting to your American Standard smart thermostat.



5


Automatic Notifications from American Standard Diagnostics

Throughout the life of your Variable Speed system, the American Standard Diagnostics platform continuously monitors the components for proper operation. With your permission, American Standard Diagnostics will automatically notify your dealer if there's a potential issue—often before you even know there's something wrong.

6

Convenience from Dealer Remote Access

With your permission, American Standard Dealer Remote Access gives your preferred dealer the ability to understand what could have triggered an alert with your American Standard Variable Speed system before they arrive. In some cases, they can even solve the issue remotely—eliminating the need for a physical service call and providing the ultimate in personal convenience.



WE CARE ABOUT YOUR PRIVACY

You have the choice to opt-in to sharing your HVAC data with your independent American Standard dealer.

Thank You

Thank you for choosing our company and American Standard. We are committed to providing you with superior customer service and look forward to serving you and your family with your home comfort needs.



(903) 553-1199

www.ERAHvac.com

Lic. No. TACLB26165E